



HUAKE TESTING

TEST Report

EN 62479: 2010

Prepared for :

Igloohome Pte Ltd

67 Ayer Rajah Crescent #03-25/26 Singapore 139950

Product: Mortise 2

Trade Name: Igloohome

Model Name: IGM3

Date of Test: Nov. 08, 2019 ~ Nov. 14, 2019

Date of Report: Nov. 14, 2019

Report Number: HK1911082827-2EH

Prepared By :

Shenzhen HUAKE Testing Technology Co., Ltd.

1F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China

TEL: +86-755-2302 9901 FAX: +86-755-2302 9901

E-mail: service@cer-mark.com <http://www.cer-mark.com>

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

HUAKE Testing Lab TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



Applicant : Igloohome Pte Ltd

Address : 67 Ayer Rajah Crescent #03-25/26 Singapore 139950

Manufacturer : Accutone Electronics(Shenzhen) Limited
4 East-5/F, No.5 Plant, Xiliang Industrial Park, Bayueer Street,
Address : Xiliang Jumin Xiaozu, Shuijing Resident, Buji Street,
Longgang District, Shenzhen City, Guangdong Province, P.R. China

EUT Description : Mortise 2

(A) Model No. : IGM3

(B) Serial Model : N/A

(C) Power Supply : DC 6V From Battery

Standards EN 62479:2010

This device described above has been tested by Shenzhen HUAKE Testing Technology Co., Ltd. and the test results show that the equipment under test (EUT) is in compliance with the 2014/53/EU requirements. And it is applicable only to the tested sample identified in the report.

This report shall not be reproduced except in full, without the written approval of Shenzhen HUAKE Testing Technology Co., Ltd., this document may be altered or revised by Shenzhen HUAKE Testing Technology Co., Ltd., personal only, and shall be noted in the revision of the document.

Test Result..... **Pass**

Date of Test: Nov. 08, 2019 to Nov. 14, 2019

Prepared by:

Project Engineer

Reviewed by:

Project Supervisor

Approved by:

Technical Director



Table of Contents

Page

1 . GENERAL INFORMATION	4
1.1 GENERAL DESCRIPTION OF EUT	4
2 .EN 62479 REQUIREMENT	5
2.1 GENERAL INFORMATION	5
2.2 LIMIT	5
3. RESULT	6



1. GENERAL INFORMATION

1.1 GENERAL DESCRIPTION OF EUT

Equipment	Mortise 2
Model Name.	IGM3
Serial Model	N/A
Model Difference	N/A
Product Description	The EUT is Mortise 2.
	BT:
	Operation Frequency: 2402 MHz ~ 2480 MHz
	Modulation Type: GFSK
	Antenna Designation: PCB Antenna
	Antenna Gain(Peak) 0 dBi
	Operation Frequency: 13.56 MHz
	Modulation Type: RFID
	Number Of Channel 1CH
	Antenna Designation: Internal Antenna
	Antenna Gain(Peak) 0dBi
	More details of EUT technical specification, please refer to the User's Manual.
Channel List	Refer to below
Power Rating	DC 6V From Battery
Hardware Version	V2.0
Software Version	V2.0

Note:

1. For a more detailed features description, please refer to the manufacturer's specifications or the User's Manual.



2.EN 62479 REQUIREMENT

2.1 GENERAL INFORMATION

According to its specifications, the EUT must comply with the requirements of the following standards:

EN 62479: 2010 [Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)]

2.2 LIMIT

A. Typical usage, installation and the physical characteristics of equipment make it inherently compliant with the applicable EMF exposure levels such as those listed in the bibliography. This low-power equipment includes unintentional (or non-intentional) radiators, for example incandescent light bulbs and audio/visual (A/V) equipment, information technology equipment (ITE) and multimedia equipment (MME) that does not contain radio transmitters.

NOTE Equipment is described as A/V equipment, ITE or MME if its main use is playback/recording of music, voice or images, or processing of digital information.

B. The input power level to electrical or electronic components that are capable of radiating electromagnetic energy in the relevant frequency range is so low that the available antenna power and/or the average total radiated power cannot exceed the low-power exclusion level defined in 4.2.

C. The available antenna power and/or the average total radiated power are limited by product standards for transmitters to levels below the low-power exclusion level defined in 4.2.

D. Measurements or calculations show that the available antenna power and/or the average total radiated power are below the low-power exclusion level defined in 4.2.



3. RESULT

PASS.

BLE:

The available antenna power of this EUT is 0.12mW (-9.09 dBm), the power are below the low-power exclusion level defined in 4.2(Pmax: 20mW)."

The power see the test report HK1911082827-2ER.

13.56MHz

The available antenna power of this EUT is 0.07mW (-11.82 dBm), the power are below the low-power exclusion level defined in 4.2(Pmax: 20mW)."

The power see the test report HK1911082827-3ER.