

GLASS TOUCH, BACKLIGHT AND MULTIFUNCTION

The iotty Smart Shades Switch use tempered glass touch screen technology and have an adjustable backlight. Combined with the ability to choose a variety of colours makes iotty a-state-of-the-art smart switch for your home or building.

The iotty Smart Shades Switch are the answer to the need for easy installation, flexibility, integration with the world's leading Smart Home assistants like Google Home, Amazon Echo, SmartThings and Siri Shortcuts. The iotty Smart Shades Switch connect directly to the Wi-Fi without the need of a Hub, central control unit or special cabling.



KEY FEATURES AND BENEFITS

- Various motor compatibility
- Replaces any existing switch for rolling shutters
- Easy to install
- Settable backlight
- 2 Switches, UP and DOWN, to control blinds, curtains, rolling shutters and automated windows.
- Connects to the Wi-Fi and lets you open your rolling shutters directly from your smartphone
- Set smart features like GEO location, group control, automatic timers, weather control, and monitor your energy consumption
- Integrates directly with Google Home, Amazon Alexa, Siri Shortcuts and SmartThings
- Works manually with and without Wi-Fi
- Free app and free use of cloud services



AVAILABLE COLORS



white

black


grey

tan

blue

* The yield of the color depends on many factors, including the choice of material on which it is applied. For this iotty cannot guarantee that the products have a colour which completely correspond to how they appear on the site, or printed on the list.

TECHNICAL DATA



GENERAL

Product name	iotty Smart Shades Switch
Model	E2S
Gang Type	2 gang
Compliance	  
Manufacturer	Designed by iotty srl in Italy, Assembled in China


WIFI

Product compatibility	Wi-Fi 802.11 b/g/n/e/i, Wi-Fi direct (P2P)
Radio Power	20dBm max
WiFi version	WiFi 802.11
WiFi	Can be turned off Only works with 2.4GHz band

MECHANICAL

Input	220 Vac
Frequency	50 Hz
Current	Max 5A per output
Stand by power	<0.5W
Working temperature	from 0°C to +40°C
Wires required	Phase, neutral

ELECTRICAL CONNECTION SCHEME



SUPPORTS

- Motors for rolling shutters, awnings, sun screens or skylights.
- Motors with maximum nominal consumption 350W
- Motors with a blocking current of less than 12A

WORKS WITH



BLINDS



SHUTTERS

various
motor
compatibility...

AUTOMATIONS



STATISTICS

To keep energy consumption under control.



ACTIVITY NOTIFICATIONS. You can receive a notification when an automation is executed.



SHARE WITH OTHER USERS. Choose to share selected gang (s) with any other iotty user.



AWAY MODE. Turn on iotty randomly so it'll seem like you're at home.



ACTIVITY DEPENDENT. Use Wi-Fi to create a central button to control them all.



WI-FI. Turn on iotty when your smartphone connects to a specific Wi-Fi (available only for Android).



GEOFENCING. Switch on iotty when you enter a specific geographical area.



SUN. Switch on iotty at sunrise or at sunset.



WEATHER. Turn on iotty based on weather conditions.



TIME. Switch on iotty at a specific time.



VARIOUS MOTOR COMPATIBILITY

To control rolling shutters, awnings, sun screens or skylights.



MANUAL OR AUTOMATIC ACTIVATION

To open and close the shutter manually or automatically.



SMART FEATURES

Choose between multiple levels of opening, set automatic timers and much more.



iotty srl
Via Del Laghetto, 18/20
33080 Porcia (PN) - ITALY

www.iotty.com
iotty@iotty.com

Find us also on
   